

The Panda Math Tutor

www.thepandamathtutor.com

Pythagoras' Theorem

IGCSE Mathematics

Prepared by

Nikolas Agisilaou

Quality Mathematics Education for Students

Contents

1	Introduction to Pythagoras' Theorem	2
2	Right-Angled Triangles	2
3	Pythagoras' Theorem	3
4	Finding the Hypotenuse	4
5	Finding a Shorter Side	6
6	Pythagorean Triples	9
7	Testing Whether a Triangle is Right-Angled	10
8	Applications in 2D Shapes	12
8.1	Isosceles Triangles	12
8.2	Rectangles and Diagonals	13
8.3	Equilateral Triangles	14
9	Pythagoras' Theorem in 3D	15
10	Summary	17
11	Additional Resources	19
11.1	Tips for Success in IGCSE Exams	19
11.2	Common Exam Questions	19

1 Introduction to Pythagoras' Theorem

Note

Pythagoras' Theorem is one of the most important and widely used results in all of mathematics. It describes the relationship between the three sides of a right-angled triangle and allows us to calculate unknown lengths. This theorem appears frequently in IGCSE examinations and forms the basis for trigonometry and coordinate geometry.


In this chapter, we will explore:

- Understanding right-angled triangles and the hypotenuse
- Pythagoras' Theorem and its formula
- Finding the hypotenuse
- Finding a shorter side
- Pythagorean triples
- Determining whether a triangle is right-angled
- Applications in 2D shapes
- Pythagoras' Theorem in 3D

2 Right-Angled Triangles

Definition

A **right-angled triangle** is a triangle that contains exactly one angle of 90° . The **hypotenuse** is the longest side of a right-angled triangle. It is always the side directly opposite the right angle. The other two sides are called the **legs** (or shorter sides) of the triangle.

**Note**

How to identify the hypotenuse:

- It is always **opposite** the right angle
- It is always the **longest** side of the triangle
- In diagrams, the right angle is usually marked with a small square

3 Pythagoras' Theorem

Pythagoras' Theorem

In a right-angled triangle, the square of the hypotenuse is equal to the sum of the squares of the other two sides.

If c is the hypotenuse and a and b are the two shorter sides, then:

$$a^2 + b^2 = c^2$$

The area of the square on the hypotenuse equals the sum of the areas of the squares on the other two sides.

Note

Key Point: Pythagoras' Theorem ONLY works for right-angled triangles. Before applying the theorem, always check that the triangle has a 90 angle.

Preview ends here

17 more pages are in the full pack.

Pythagoras' Theorem — Main Notes — €9.99

Buy the pack and the complete PDF lands in your inbox.

Personal study use only — please don't resell or share.