

The Panda Math Tutor

Solving Quadratic Equations Using Factorisation

IGCSE Mathematics

Prepared by
Nikolas Agisilaou

Contents

1	Introduction	2
2	What is a Quadratic Equation?	3
3	The Zero Product Property	4
4	Solving When $a = 1$ (Monic Quadratics)	6
5	Solving When $a \neq 1$ (Non-Monic Quadratics)	8
6	Equations Involving the Difference of Two Squares	11
7	Equations Involving Perfect Square Trinomials	14
8	Rearranging Before Solving	16
8.1	Equations Not Equal to Zero	16
8.2	Equations with Terms on Both Sides	17
8.3	Equations Requiring Expansion First	18
9	Applied Problems Leading to Quadratic Equations	21
10	Common Mistakes and Pitfalls	24
11	Summary	25
12	Additional Resources	27
12.1	Tips for Success in IGCSE Exams	27
12.2	Common Exam Questions	27

1 Introduction

Note

Solving quadratic equations is one of the most important skills in IGCSE Mathematics. Factorisation provides a powerful algebraic method for finding exact solutions without relying on a calculator. This topic builds directly on your knowledge of factorising quadratic expressions.

In this chapter, we will explore:

- What quadratic equations are and what it means to solve them — [Section 2](#)
- The zero product property — [Section 3](#)
- Solving equations where $a = 1$ (monic quadratics) — [Section 4](#)
- Solving equations where $a \neq 1$ (non-monic quadratics) — [Section 5](#)
- Equations involving the difference of two squares — [Section 6](#)
- Equations involving perfect square trinomials — [Section 7](#)
- Setting up and solving problems from non-standard forms — [Section 8](#)
- Applied problems that lead to quadratic equations — [Section 9](#)
- Common mistakes and pitfalls — [Section 10](#)

2 What is a Quadratic Equation?

Definition

A **quadratic equation** is an equation of the form:

$$ax^2 + bx + c = 0$$

where:

- a , b , and c are constants (numbers)
- $a \neq 0$ (there must be an x^2 term)
- x is the unknown variable we want to find

This is called the **standard form** of a quadratic equation.

Examples:

- $x^2 + 9x + 14 = 0$ ($a = 1$, $b = 9$, $c = 14$)
- $4x^2 - 7x + 3 = 0$ ($a = 4$, $b = -7$, $c = 3$)
- $x^2 - 36 = 0$ ($a = 1$, $b = 0$, $c = -36$)

Definition

Solving a quadratic equation means finding the values of x that make the equation true. These values are called the **solutions** or **roots** of the equation.

A quadratic equation can have:

- **Two distinct solutions** (most common)
- **One repeated solution** (when the expression is a perfect square)
- **No real solutions** (when the equation cannot be factorised over real numbers)

Warning

Common Mistake: Confusing expressions with equations!

- $x^2 + 9x + 14$ is a quadratic **expression** — you can factorise it, but you cannot solve it
- $x^2 + 9x + 14 = 0$ is a quadratic **equation** — you can solve it to find values

Preview ends here

25 more pages are in the full pack.

Solving Quadratic Equations Using Factorisation — Main Notes — €9.99

Buy the pack and the complete PDF lands in your inbox.

Personal study use only — please don't resell or share.